



SUCCESSFUL TREATMENT WITH MEDICAL SYSTEMS FROM WALDMANN

- UV therapy systems
- Systems for
photodynamic therapy
- Diagnosis Systems



AN EFFECTIVE MEDIUM
AGAINST DERMATOLOGICAL DISORDERS:
UV TECHNOLOGY
FROM WALDMANN

Optimum therapeutic results in the treatment of dermatological disorders are achieved throughout the whole world with medical systems from Waldmann. The systems have been tested extensively in dermatological teaching hospitals. This guarantees safe, practical handling and reliable operation.



UV 7002



UV 1000



UV 3003

UV 3003

UV phototherapy system with Joule dosimetry for treatment in recumbent position. The ideal complement to the cubicle range. The reflector can be folded upwards effortlessly with one hand. Automatic switch-off and memorisation of the residual dose. Includes therapy software package for precise automatic control.

UV 7002

Convenient to operate therapy system with constant measurement and dosage adjustment. Maximum safety due to control via the practice's PC with therapy software.

UV 1000

Total body irradiation cubicle with LCD timer, automatic conversion of the Joule value (J/cm^2) into treatment duration. Low space requirements.


UV 100 L

The tried and trusted system for safe home treatment. Available optionally with UVA (PUVA) or UVB (narrow or broad band). Simple operation via LCD control with full-text display.


UNIFORM FULL BODY UV THERAPY

The professional full body therapy systems from Waldmann can be used for monotherapy and combination therapy.

All appliances with dosage entry in $\text{Joules}/\text{cm}^2$.



UV 100 L



PARTIAL THERAPY SYSTEMS: MOBILE, VERSATILE AND EFFICIENT

UV 109


Hand-held therapy system with UVB broad band, narrow band or UVA lamps.
With add-on comb for separating hair.

VARIOCONTROL

The useful accessory for the intensity measurement of UV- and Photo-dynamic therapy Systems (mW/cm^2).
Control device for the optional skin test appliance.

LIGHT SCALE

Optional accessory to the Variocontrol device for the determination of the MED and MPD. The irradiation intensity and the skin type are taken into account during the measurement.



UV 200
UV 181



UVA 700 L



UV 109
WITH ADD-ON COMB



VARIO-
CONTROL



LIGHT SCALE

APPLIANCES FOR HAND AND FOOT IRRADIATION

UV 181 AL/UV 200 AL
for UVA and PUVA therapy (PUVA bath
and PUVA cream, etc.).

UV 181 BL
for narrow or broad band UVB therapy.

All models including LCD timer with
Joule entry. Multifunctional trolley
height adjustable and tiltable.

UVA 700 L
High performance system for photo-
provocation tests and therapeutic UVA
and PUVA applications. High dosage
ranges possible.

UV 801 AL, BL, KL
Partial body therapy systems for
versatile use.
Monotherapy: UVA, PUVA, UVB
(narrow or broad band).
Combination therapy:
UVA and broad band UVB
synchronously.
For diagnosis:
MPD and MED tests. LCD timer
with Joule entry.



UV 801



DIAGNOSIS SYSTEMS

A reliable diagnosis is the base for every successful therapy. Waldmann offers a full variety of diagnosis systems in different versions and with many optional accessories.



LRE 122 T



DL 122 M



DHL 109 M

DHL 109 M
Handy and lightweight hand wood-light for detection of fluorescence of disorders and assessment of pigment changes.

LRE 122 T
Diagnosis light on stand. Multiple mounting options: Wall bracket, table foot or clamp, 5-feet on castors.

DL 122 M
Diagnosis light for versatile use in all dermatological examinations. Wall bracket available as accessory.

DHL 111 M
Easy to handle and light. With compact fluorescent tube.


DHLL DIAGNOSIS SYSTEM
Single Wood's light or as combination model with switching function for neutral white fluorescent tube light.



DHL 111 M



DHLL
DIAGNOSIS
SYSTEM



PHOTODYNAMIC THERAPY

Waldmann, leading manufacturer with more than 30 years of experience in phototherapy decisively influenced the development of Photodynamic Diagnosis and Therapy in cooperation with the most important clinical centres in Europe.



PDT 1200 L

The PDT 1200 L illuminates an area of up to 15 cm diameter homogeneously and with a high irradiance. The freely adjustable irradiance of up to 200 mW/cm² may especially be important for the treatment of on-cologic indications.

PDT 450 L

With an emission spectrum of 420 nm and a large illumination field, the PDT 450 L is optimal for the treatment of multiple superficial lesions like Actinic Keratoses.



PDT 1200 L



PDT 450 L

CUSTOMER SERVICE AND MAINTENANCE

Waldmann medical systems are developed and produced according to the most up-to-date technology.

As a leading manufacturer of therapy systems,Waldmann also guarantees a first-rate customer service. In many cases, faults can be remedied simply by troubleshooting. Waldmann offers favourable rates and conditions for on-site customer service. A maintenance contract includes regular checks and guarantees smooth running of your therapy system.

FREE INFORMATION BY POST OR FAX

PLEASE SEND ME AN OFFER FOR:

Model

Lamp configuration

INFORMATION ON THE TOPIC:

- ☐ Professional UV Therapy Systems
☐ Waldmann UV home Therapy Systems
☐ Photodynamic therapy

- ☐ Diagnosis Systems
☐ Lamps
☐ Other_____

- ☐ I would like to make an appointment with your medical product consultant.
Please contact:

Phone _____

Clinic

Mr./Ms./Prof./Dr.

Department

Street

Post code, location

e-Mail

FAX NO.: +49 (0)77 20/6 01-3 56

STAMMSITZ DEUTSCHLAND

Herbert Waldmann GmbH & Co. KG
Postfach 5062
D-78057 Villingen-Schwenningen
Telefon +49 7720 601-200
Telefax +49 7720 601-290
www.waldmann.com
info-puva@waldmann.com

FRANCE

Waldmann Eclairage S.A.S.
Z.I. Rue de l'Embranchement
F-67116 REICHSTETT
Adresse postale :
BP 23431 Reichstett
F-67455 MUNDOLSHEIM Cedex
Téléphone +33 (0) 3.88.20.95.88
Fax +33 (0) 3.88.20.95.68
www.waldmann.com
info-fr@waldmann.com

SCHWEIZ

Waldmann Lichttechnik GmbH
Benkenstr. 57
CH-5024 Küttigen
Telefon +41 (0) 62 - 839 12 12
Telefax +41 (0) 62 - 839 12 99
www.waldmann.com
info-ch@waldmann.com

NIEDERLANDE

Waldmann Medische Techniek B.V.
Lingewei 19
NL-4004 LK Tiel
Telefon +31 344 - 631019
Telefax +31 344 - 627856
www.waldmann.com
info-nl@waldmann.com